

TACS AND QUOTAS 2010

Species Latin name	Species English name	Espèces nom français	ICES fishing zone	COUNCIL			COMMISSION Proposal for 2010	comparison Council / Commission 2010
				TACs 2010	TACs 2009	comparison 2010/2009 %		
ANNEX IA SKAGERRAK, KATTEGAT, ICES zones I, II, III, IV, V, VI, VII, VIII, IX, X, XII and XIV, EC Waters of CECAF, French Guyana waters								
<i>Ammodytidae</i>	Sandeel	Lançon	IIa (EC waters), IIIa and IV (EC waters) (SAN/2A3A4)	115375	177500	-35%	na	na
<i>Ammodytidae</i>	Sandeel	Lançon	IV (Norwegian waters) (SAN/04-N)	Not relevant	NR	NR	pm	na
<i>Argentina silus</i>	Greater silver smelt	Grande argentine	I & II (EC and internat. waters) (ARU/1/2)	111	116	-4%	99	-15%
<i>Argentina silus</i>	Greater silver smelt	Grande argentine	III & IV (EC and internat. waters) (ARU/3/4)	1.278	1.331	-4%	1.131	-15%
<i>Argentina silus</i>	Greater silver smelt	Grande argentine	V, VI, VII (EC and internat. waters) (ARU/567)	5.099	5.311	-4%	4.514	-15%
<i>Brosme brosme</i>	Tusk	Brosmes	By catches - EC and internat. waters of I, II & XIV (USK/1214ED)	20	24	-17%	20	-17%
<i>Brosme brosme</i>	Tusk	Brosmes	EC waters of III (USK/03-C)	24	28	-14%	24	-14%
<i>Brosme brosme</i>	Tusk	Brosmes	EC waters of IV (USK/04-CI)	196	231	-15%	196	-15%
<i>Brosme brosme</i>	Tusk	Brosmes	EC and internat. waters of V, VI, and VII (USK/567ED)	283	435	-35%	pm	na
<i>Brosme brosme</i>	Tusk	Brosmes	IV (Norwegian waters) (USK/4AB-N)	Not relevant	170	na	pm	na
<i>Clupea harengus</i>	Herring	Hareng	IIIa (HER/03A)	20.924	32.190	-35%	pm	na
<i>Clupea harengus</i>	Herring	Hareng	EC waters of IV north of 53°30' N (HER/04A) (HER/04B)	63.598	97.843	-35%	pm	na
<i>Clupea harengus</i>	Herring	Hareng	Norwegian waters south of 62° N (HER/04-N)	Not relevant	846		pm	na
<i>Clupea harengus</i>	Herring	Hareng	by-catches in IIIa (HER/03A-	5.442	8.373	-35%	pm	na
<i>Clupea harengus</i>	Herring	Hareng	by-catches in IV, VIIId and in EC waters of IIa (HER/2A47-	10.390	15.985	-35%	pm	na
<i>Clupea harengus</i>	Herring	Hareng	IVc, VIIId (HER/4CXB7D)	15.319	23.567	-35%	pm	na
<i>Clupea harengus</i>	Herring	Hareng	EC and internat. waters of Vb and VIb and VIaN	13.715	21.760	-37%	21.100	na
<i>Clupea harengus</i>	Herring	Hareng	VIaS, VIIbc (HER/6AS7BC)	7.451	9.314	-20%	6.986	-25%

Species Latin name	Species English name	Espèces nom français	ICES fishing zone	COUNCIL			COMMISSION Proposal for 2010	comparison Council / Commission 2010
				TACs 2010	TACs 2009	comparison 2010/2009 %		
<i>Clupea harengus</i>	Herring	Hareng	VIa Clyde (HER/06ACL)	720	800	-10%	680	-15%
<i>Clupea harengus</i>	Herring	Hareng	VIIa (HER/07A/MM)	4.800	4.800	0%	4.800	0%
<i>Clupea harengus</i>	Herring	Hareng	VIIe, f (HER/7EF)	1.000	1.000	0%	1.000	0%
<i>Clupea harengus</i>	Herring	Hareng	VIIg, h, j, k (HER/7G-K)	10.150	5.918	72%	10.150	72%
<i>Engraulis encrasicolus</i>	Anchovy	Anchois	VIII (ANE/08.)	7000	0	0%	0	0%
<i>Engraulis encrasicolus</i>	Anchovy	Anchois	IX, X; EC waters of CECAF 34.1.1 (ANE/9/3411)	8.000	8.000	0%	6.800	-15%
<i>Gadus morhua</i>	Cod	Cabillaud	Skagerrak (COD/03AN.)	2.588	3.981	-35%	pm	na
<i>Gadus morhua</i>	Cod	Cabillaud	Kattegat (COD/03AN.)	379	505	-25%	379	-25%
<i>Gadus morhua</i>	Cod	Cabillaud	EC waters of IIa and IV, the part of IIIa not covered by the Skagerrak and Kattegat (COD/2A3A4)	15.536	23.902	-35%	pm	na
<i>Gadus morhua</i>	Cod	Cabillaud	Norwegian waters south of 62° N (COD/04-N)	Not relevant	382	Not relevant	pm	na
<i>Gadus morhua</i>	Cod	Cabillaud	VIb; EC & int. waters of Vb to the west of 12°00W and of XII & XIV (COD/561214) [splitting of TAC]	80	302	-74%	80	-74%
<i>Gadus morhua</i>	Cod	Cabillaud	VIa, EC & int. waters of Vb to the east of 12°00W (COD/5B6A)	240	240	0%	180	
<i>Gadus morhua</i>	Cod	Cabillaud	VIIa (COD/07A)	674	899	-25%	674	-25%
<i>Gadus morhua</i>	Cod	Cabillaud	VIIb-c, VIIe-k, VIII, IX & X; EC waters of CECAF 34.1.1 (COD/7XAD34)	4.023	4.023	0%	3.017	-25%
<i>Gadus morhua</i>	Cod	Cabillaud	VIIId (COD/07D)	1.091	1.678	-35%	pm	na
<i>Lamna nasus</i>	Porbeagle	Requin taupe commun	EC waters of III, IV, V, VI, VII, VIII, IX, X & XII (POR/1-	0	436	-100%	pm	na

Species Latin name	Species English name	Espèces nom français	ICES fishing zone	COUNCIL			COMMISSION Proposal for 2010	comparison Council / Commission 2010
				TACs 2010	TACs 2009	comparison 2010/2009 %		
<i>Lepidorhombus spp.</i>	Megrim	Cardines	EC waters of IIa & IV (LEZ/2AC4-C)	1.757	1.597	10%	1.597	0%
<i>Lepidorhombus spp.</i>	Megrim	Cardines	EC and intern. waters of Vb; intern. Waters of XII & XIV (LEZ/561214)	3.079	2.799	10%	2.799	0%
<i>Lepidorhombus spp.</i>	Megrim	Cardines	VII (LEZ/07)	18.300	18.300	0%	18.300	0%
<i>Lepidorhombus spp.</i>	Megrim	Cardines	VIIIa, VIIIb, VIIIc, VIIIe (LEZ/8ABDE)	2.125	2.125	0%	2.125	0%
<i>Lepidorhombus spp.</i>	Megrim	Cardines	VIIIc, IX & X; EC waters of CECAF 34.1.1 (LEZ/8C3411)	1.287	1.430	-10%	1.216	-15%
<i>Limanda limanda and Platichthys flesus</i>	Dabe and Flounder	dabé et Flet	EC waters of IIa and IV (D/F/2AC4-C)	18.810	18.810	0%	18.810	0%
<i>Lophiidae</i>	Anglerfish	Baudroie	EC waters of IIa and IV (ANF/2AC4-C)	11.345	11.345	0%	11.345	0%
<i>Lophiidae</i>	Anglerfish	Baudroie	Norwegian waters of IV (ANF/4AB-N)	Not relevant	1.550	Not relevant	pm	na
<i>Lophiidae</i>	Anglerfish	Baudroie	VI, EC & int. waters of Vb, int. Waters of XII & XIV (ANF/561214)	5.567	5.567	0%	5.567	0%
<i>Lophiidae</i>	Anglerfish	Baudroie	VII	32.292	28.080	15%	32.292	15%
<i>Lophiidae</i>	Anglerfish	Baudroie	VIIIa,b,d,e	9.108	7.920	15%	9.108	15%
<i>Lophiidae</i>	Anglerfish	Baudroie	VIIIc, IX, X, CECAF 34.1.1 (EC waters)	1.496	1.760	-15%	1.320	-25%
<i>Melanogrammus aeglefinus</i>	Haddock	Eglefin	IIIa, IIIbcd (EC waters)	1.441	2.217	-35%	pm	na
<i>Melanogrammus aeglefinus</i>	Haddock	Eglefin	EC waters of IIa and IV	21.241	32.679	-35%	pm	na
<i>Melanogrammus aeglefinus</i>	Haddock	Eglefin	Norwegian waters south of 62° N	Not relevant	707	Not relevant	pm	na
<i>Melanogrammus aeglefinus</i>	Haddock	Eglefin	VIb; XII and XIV (EC and internat. waters) (HAD/61214)	4.997	5.879	-15%	4.997	-15%

Species Latin name	Species English name	Espèces nom français	ICES fishing zone	COUNCIL			COMMISSION Proposal for 2010	comparison Council / Commission 2010
				TACs 2010	TACs 2009	comparison 2010/2009 %		
<i>Melanogrammus aeglefinus</i>	Haddock	Eglefin	Vb, VIa (EC and internat. waters) (HAD/5BC6A)	2.673	3.516	-24%	1.600	-54%
<i>Melanogrammus aeglefinus</i>	Haddock	Eglefin	VIIIb-k, VIII, IX, X; CECAF 34.1.1 (EC waters)	11.579	11.579	0%	11.579	0%
<i>Melanogrammus aeglefinus</i>	Haddock	Eglefin	VIIa	1.424	1.424	0%	1.424	0%
<i>Merlangius merlangus</i>	Whiting	Merlan	IIIa	168	258	-35%	pm	na
<i>Merlangius merlangus</i>	Whiting	Merlan	EC waters of IIa and IV (WHG/2AC4)	8.185	12.593	-35%	pm	na
<i>Merlangius merlangus</i>	Whiting	Merlan	Vb (EC and internat. waters), VI, internat. waters of XII and XIV (WHG/561214)	431	574	-25%	431	-25%
<i>Merlangius merlangus</i>	Whiting	Merlan	VIIa	157	209	-25%	157	-25%
<i>Merlangius merlangus</i>	Whiting	Merlan	VIIIb-k	14.407	16.949	-15%	14.407	-15%
<i>Merlangius merlangus</i>	Whiting	Merlan	VIII	3.240	3.600	-10%	3.060	-15%
<i>Merlangius merlangus</i>	Whiting	Merlan	IX, X, CECAF 34.1.1 (EC waters)	588	653	-10%	555	-15%
<i>Merlangius merlangus and Pollachius pollachius</i>	Whiting and Pollack	Merlan et Lieu jaune	Norwegian waters south of 62° N	Not relevant	190	Not relevant	pm	na
<i>Merluccius merluccius</i>	Hake	Merlu	IIIa; IIIbcd (EC waters) (HKE/3A/BCD)	1.661	1.552	7%	1.397	-10%
<i>Merluccius merluccius</i>	Hake	Merlu	EC waters of IIa and IV (HKE/2AC4-C)	1.935	1.808	7%	1.627	-10%
<i>Merluccius merluccius</i>	Hake	Merlu	Vb (EC waters), VI, VII; XII, XIV (internat. waters)	30.900	28.879	7%	25.991	-10%
<i>Merluccius merluccius</i>	Hake	Merlu	VIII a, b, d, e (HKE/8ABDE)	20.609	19.261	7%	17.335	-10%
<i>Merluccius merluccius</i>	Hake	Merlu	VIIIc, IX, X, CECAF 34.1.1 (EC waters)	9.300	8.104	15%	9.300	15%

Species Latin name	Species English name	Espèces nom français	ICES fishing zone	COUNCIL			COMMISSION Proposal for 2010	comparison Council / Commission 2010
				TACs 2010	TACs 2009	comparison 2010/2009 %		
<i>Micromesistius poutassou</i>	Blue whiting	Merlan bleu	Norwegian waters of II and IV	Not relevant	4.000	na	pm	na
<i>Micromesistius poutassou</i>	Blue whiting	Merlan bleu	EC and international waters of I, II, III, IV, V, VI, VII, VIIIa b d e, XII and XIV	48.138	74.058	-35%	pm	na
<i>Micromesistius poutassou</i>	Blue whiting	Merlan bleu	VIIIc, IX and X; EC waters of CEEAF 34.1.1 (WHB/8C3411)	9.851	15.155	-35%	pm	na
<i>Micromesistius poutassou</i>	Blue whiting	Merlan bleu	EC waters of II, IVa, V, VI north of 56°30N and VII west of 12°W (WHB/24A567)	Not relevant		Not relevant	pm	
<i>Microstomus kitt & Glyptocephalus cynoglossus</i>	Lemon sole and Witch	Limande sole et plie grise	IIa and IV (EC waters)	6.521	6.793	-4%	5.774	-15%
<i>Molva dypterigia</i>	Blue ling	Lingue bleue	EC waters and internat. waters of VI, VII	2032	2309	-12%	1732	-25%
<i>Molva molva</i>	Ling	Lingue	I, II (EC and internat, waters)	38	45	-16%	38	-16%
<i>Molva molva</i>	Ling	Lingue	IIIa, IIIb-d (EC waters)	90	100	-10%	85	-15%
<i>Molva molva</i>	Ling	Lingue	IV (EC waters) (LIN/04)	2.428	2.856	-15%	2.428	-15%
<i>Molva molva</i>	Ling	Lingue	V (EC and internat, waters) (LIN/05)	34	34	0%	34	0%
<i>Molva molva</i>	Ling	Lingue	VI, VII, VIII, IX, X, XII, XIV (EC waters and internat, waters) (LIN/6X14)	7.003	10.776	-35%	14.164	31%
<i>Molva molva</i>	Ling	Lingue	IV (Norwegian waters)	Not relevant	850	nr	pm	na
<i>Nephrops norvegicus</i>	Norway lobster	Langoustine	IIIa; IIIbcd (EC waters)	5.170	5.170	0%	5.170	0%
<i>Nephrops norvegicus</i>	Norway lobster	Langoustine	IIa (EC waters), IV (EC waters) (NEP/2AC4-C)	23.188	24.837	-7%	23.188	-7%
<i>Nephrops norvegicus</i>	Norway lobster	Langoustine	IV (Norwegian waters) (NEP/4AB-N)	Not relevant	1.210	nr	Not relevant	nr
<i>Nephrops norvegicus</i>	Norway lobster	Langoustine	Vb (EC and internat, waters), VI (NEP/5BC6)	16.057	18.891	-15%	16.057	-15%
<i>Nephrops norvegicus</i>	Norway lobster	Langoustine	VII	22.432	24.650	-9%	17.160	-30%

Species Latin name	Species English name	Espèces nom français	ICES fishing zone	COUNCIL			COMMISSION Proposal for 2010	comparison Council / Commission 2010
				TACs 2010	TACs 2009	comparison 2010/2009 %		
<i>Nephrops norvegicus</i>	Norway lobster	Langoustine	VIII a, b, d, e (NEP/8ABDE)	3.899	4.104	-5%	3.488	-15%
<i>Nephrops norvegicus</i>	Norway lobster	Langoustine	VIIIc	95	112	-15%	95	-15%
<i>Nephrops norvegicus</i>	Norway lobster	Langoustine	IX, X, CECAF 34.1.1 (EC waters)	337	374	-10%	337	-10%
<i>Pandalus borealis</i>	Northern prawn	Crevette nordique	IIIa	4.033	6.205	-35%	pm	na
<i>Pandalus borealis</i>	Northern prawn	Crevette nordique	IIa (EC waters), IV (EC waters)	Not relevant	4.980	nr	pm	na
<i>Pandalus borealis</i>	Northern prawn	Crevette nordique	Norwegian waters south of 62°00' N	Not relevant	664	nr	Not relevant	na
<i>Penaeus spp.</i>	'Penaeus' shrimps	Crevette royale	French Guyana	4.108	4.108	0%	4.108	0%
<i>Pleuronectes platessa</i>	Plaice	Plie	Skagerrak (PLE/03AN)	5.956	9.163	-35%	pm	na
<i>Pleuronectes platessa</i>	Plaice	Plie	Kattegat (PLE/03AS)	1.520	2.338	-35%	pm	na
<i>Pleuronectes platessa</i>	Plaice	Plie	EC waters of Iia and IV; that part of IIIa not covered by the Skagerrak and Kattegat (PLE/2A3AX4)	34.120	47.875	-29%	pm	na
<i>Pleuronectes platessa</i>	Plaice	Plie	Vb (EC and internat. waters), VI; XII and XIV (internat waters) (PLE/561214)	707	668	6%	668	0%
<i>Pleuronectes platessa</i>	Plaice	Plie	VIIa	1.627	1.430	14%	1.627	14%
<i>Pleuronectes platessa</i>	Plaice	Plie	VII b, c	80	94	-15%	80	-15%
<i>Pleuronectes platessa</i>	Plaice	Plie	VII d, e	4.274	4.646	-8%	3.949	-15%
<i>Pleuronectes platessa</i>	Plaice	Plie	VII f, g	451	422	7%	451	7%
<i>Pleuronectes platessa</i>	Plaice	Plie	VII h, j, k	218	256	-15%	218	-15%
<i>Pleuronectes platessa</i>	Plaice	Plie	VIII, IX, X, CECAF 34.1.1 (EC waters)	403	448	-10%	381	-15%

Species Latin name	Species English name	Espèces nom français	ICES fishing zone	COUNCIL			COMMISSION Proposal for 2010	comparison Council / Commission 2010
				TACs 2010	TACs 2009	comparison 2010/2009 %		
<i>Pollachius virens</i>	Pollack	Lieu jaune	Vb (EC and internat. waters), VI, XII, XIV (internat. waters) (POI /561214)	405	13066	-97%	383	na
<i>Pollachius pollachius</i>	Pollack	Lieu jaune	VII (POL/07)	13.770	15.300	-10%	13.005	-15%
<i>Pollachius pollachius</i>	Pollack	Lieu jaune	VIII a, b, d, e	1.512	1.680	-10%	1.680	0%
<i>Pollachius pollachius</i>	Pollack	Lieu jaune	VIIIc (POL/08C)	236	262	-10%	223	-15%
<i>Pollachius pollachius</i>	Pollack	Lieu jaune	IX, X, CECAF 34.1.1 (EC waters) (POL/9/3411)	288	288	0%	288	0%
<i>Pollachius virens</i>	Saithe	Lieu noir	IIIa; EC waters of IIa,b,c,d and IV (POK/2A34)	39.291	60.448	-35%	pm	na
<i>Pollachius virens</i>	Saithe	Lieu noir	VI; EC and internat. waters of Vb, XII and XIV (POK/561214)	8.493	13.066	-35%	pm	na
<i>Pollachius virens</i>	Saithe	Lieu noir	Norwegian waters south of 62°	Not relevant	880	nr	Not relevant	na
<i>Pollachius virens</i>	Saithe	Lieu noir	VII, VIII, IX, X, CECAF 34.1.1 (EC waters) (POK/7/3411)	3.411	3.790	-10%	3.222	-15%
<i>Psetta maxima & Scophthalmus rhombus</i>	Turbot and brill	Turbot et barbue	IIa (EC waters), IV (EC waters) (T/B/2AC4-C)	1.397	5.263	-73%	4.474	-15%
<i>Rajidae</i>	Skates and rays	Requins et Raies	IIa (EC waters), IV (EC waters)	1.397	1.643	-15%	1.397	-15%
<i>Rajidae</i>	Skates and rays	Requins et Raies	IIIa (EC waters) (SRX/03-C)	58	68	na	58	na
<i>Rajidae</i>	Skates and rays	Requins et Raies	VIab (EC waters), VIIa-c, e-k (EC waters) (SRX/67AKXD)	13.387	15.748	new area	13.387	new area
<i>Rajidae</i>	Skates and rays	Requins et Raies	VIIId (EC waters) (SRX/07D)	887	1.044	new area	887	new area
<i>Rajidae</i>	Skates and rays	Requins et Raies	VIII et IX (EC waters) (SRX/89-	5.459	6.423	new area	5.459	new area
<i>Reinhardtius hippoglossoides</i>	Greenland halibut	Flétan du Groenland	IIa (EC waters), IV; Vb and VI (EC and internat. waters) (GHI /2A-C46)	244	720	-66%	612	-15%

Species Latin name	Species English name	Espèces nom français	ICES fishing zone	COUNCIL			COMMISSION Proposal for 2010	comparison Council / Commission 2010
				TACs 2010	TACs 2009	comparison 2010/2009 %		
<i>Scomber scombrus</i>	Mackerel	Maquereau	IIIa; EC waters of IIa, IIIb, c, d and IV (MAC/2A34)	15.243	23.450	-35%	pm	na
<i>Scomber scombrus</i>	Mackerel	Maquereau	IIa (non-EC waters), Vb (EC and internat. waters), VI, VII, VIII a b d e XII XIV	202.495	311.531	-35%	pm	na
<i>Scomber scombrus</i>	Mackerel	Maquereau	VIIIc, IX, X, CECAF 34.1.1 (EC waters) (MAC/8C3411)	28.663	35.829	-20%	pm	na
<i>Solea solea</i>	Common sole	Sole commune	IIIa, IIIb,c,d (EC waters)	680	800	-15%	680	-15%
<i>Solea solea</i>	Common sole	Sole commune	EC waters of II and IV	9.042	14.000	-35%	14.100	na
<i>Solea solea</i>	Common sole	Sole commune	Vb (EC and internat. waters), VI, XII, XIV (SOL/561214)	61	68	-10%	58	-15%
<i>Solea solea</i>	Common sole	Sole commune	VIIa	402	502	-20%	377	-25%
<i>Solea solea</i>	Common sole	Sole commune	VIIIb, c	45	50	-10%	43	-14%
<i>Solea solea</i>	Common sole	Sole commune	VIIId	4.219	5.274	-20%	3.650	-31%
<i>Solea solea</i>	Common sole	Sole commune	VIIe	618	650	-5%	553	-15%
<i>Solea solea</i>	Common sole	Sole commune	VIIIf, g	993	993	0%	920	-7%
<i>Solea solea</i>	Common sole	Sole commune	VIIh, j, k	498	553	-10%	470	-15%
<i>Solea solea</i>	Common sole	Sole commune	VIIIa, b (SOL/8AB)	4.829	4.390	10%	4.490	2%
<i>Solea spp.</i>	Sole	Sole	VIIIc, d, e, IX, X, CECAF 34.1.1 (EC waters)	1.094	1.216	-10%	1.034	-15%
<i>Sprattus sprattus</i>	Sprat	Sprat	IIIa	31.265	48.100	-35%	pm	na
<i>Sprattus sprattus</i>	Sprat	Sprat	IIa (EC waters), IV (EC waters)	98.005	150.777	-35%	170.000	na
<i>Sprattus sprattus</i>	Sprat	Sprat	VIIId, e	5.531	6.144	-10%	5.223	-15%
<i>Squalus acanthias</i>	Spurdog dogfish	Aiguillat chien de mer	IIIa (EC waters) (DGS/03A-C)	0	104	new area	0	na
<i>Squalus acanthias</i>	Spurdog / dogfish	Aiguillat chien de mer	IIa & IV (EC waters) (DGS/2AC4-C)	0	266	-100%	0	-100%
<i>Squalus acanthias</i>	Spurdog dogfish	Aiguillat chien de mer	IIIa, EC & Int. Waters of I, V, VI, VII, VIII, XII & XIV	0	1.002	-100%	0	-100%

Species Latin name	Species English name	Espèces nom français	ICES fishing zone	COUNCIL			COMMISSION Proposal for 2010	comparison Council / Commission 2010
				TACs 2010	TACs 2009	comparison 2010/2009 %		
<i>Trachurus spp.</i>	Horse mackerel	Chinchard	EC waters of IVb, IVc, VIId (JAX/47D)	30.144			pm	
<i>Trachurus spp.</i>	Horse mackerel	Chinchard	EC waters of Iia, Iva, VI, VIIa-c, VIIe-k, VIIIA,b,d,e; Vb (EC and internat. Waters); internat. waters of XII and XIV	98.968	New TAC		pm	
<i>Trachurus spp.</i>	Horse mackerel	Chinchard	VIIIc (JAX/08c)	25.310	34.770	-27%	pm	na
<i>Trachurus spp.</i>	Horse mackerel	Chinchard	IX (JAX/09)	31.142	165.939	-81%	pm	na
<i>Trachurus spp.</i>	Horse mackerel	Chinchard	X, CEEAF Azores	3.072	3.200	-4%	2.720	-15%
<i>Trachurus spp.</i>	Horse mackerel	Chinchard	CEEAF Madeira Islands (JAX/341PRT)	1.229	1.280	-4%	1.088	-15%
<i>Trachurus spp.</i>	Horse mackerel	Chinchard	CEEAF Canary Islands (JAX/341 SPN)	1.229	1.280	-4%	1.088	-15%
<i>Trisopterus esmarki</i>	Norway pout	Tacaud norvégien	IIa (EC waters), IIIa, IV (EC waters) (NOP/2A3A4)	75.888	26.250	189%	Not relevant	nr
<i>Trisopterus esmarki</i>	Norway pout	Tacaud norvégien	IV (Norwegian waters) (NOP/4AB-N)	Not relevant	1.000	nr	Not relevant	na
		Industrial fish	IV (Norwegian waters) (I/F/4AB-N)	Not relevant	800	nr	Not relevant	na
		Combined quota	EC waters of Vb; VI and VII (R/G/5B67-C)	Not relevant			Not relevant	
		Other species	IV (Norwegian waters) (OTH/4AB-N)	Not relevant	5.000	nr	Not relevant	na
		Other species	EC waters of Iia, IV and Via north of 56°30N	Not relevant			Not relevant	

Species Latin name	Species English name	Espèces nom français	ICES fishing zone	COUNCIL			COMMISSION Proposal for 2010	comparison Council / Commission 2010
				TACs 2010	TACs 2009	comparison 2010/2009 %		
ANNEX IB NORTH EAST ATLANTIC AND GREENLAND AND ICES zones I, II, V, XII, XIV and Greenland Waters of NAFO 0 and 1								
<i>Chionoecetes spp.</i>	Crabe	Snow crab	Greenland waters of NAFO 0 and 1	500	500	0%	Not relevant	nr
<i>Clupea harengus</i>	Herring	Hareng	EC and International waters of I and II (HER/1/2)	96.543	106.959	-10%	pm	na
<i>Gadus morhua</i>	Cod	Cabillaud	Norwegian waters of I and II (COD/IN2AB)	Not relevant	19.324	nr	pm	na
<i>Gadus morhua</i>	Cod	Cabillaud	Greenland waters of NAFO 0 and 1, Greenland waters of V and XIV (COD/NO1514)	2.500	3.500	-29%	Not relevant	nr
<i>Gadus morhua</i>	Cod	Cabillaud	Internat. waters of I and IIb (COD/1/2B)	22.356	19.793	13%	pm	na
<i>Gadus morhua and Melanogrammus aeglefinus</i>	Cod and haddock	Cabillaud et églefin	Vb (Faroese waters)	Not relevant	500	nr	Not relevant	na
<i>Hippoglossus hippoglossus</i>	Atlantic halibut	Flétan	V, XIV (Greenland waters)	Not relevant	1.075	nr	Not relevant	na
<i>Hippoglossus hippoglossus</i>	Atlantic halibut	Flétan	NAFO 0 and 1 (Greenland waters)	49	75	-35%	Not relevant	na
<i>Mallotus villosus</i>	Capelin	Capelan	IIb	0	0	0%	pm	0%
<i>Mallotus villosus</i>	Capelin	Capelan	V, XIV (Greenland waters)	0	0	0%	Not relevant	0%
<i>Melanogrammus aeglefinus</i>	Haddock	Eglefin	I, II (Norwegian waters)	Not relevant	2.500	na	Not relevant	na
<i>Micromesistius poutassou</i>	Blue whiting	Merlan bleu	Faroese waters	Not relevant	3.000	na	pm	na
<i>Molva molva and Molva dypterigia</i>	Ling and Blue ling	Lingue et lingue bleue	Vb (Faroese waters)	Not relevant	3.065	na	Not relevant	na
<i>Pandalus borealis</i>	Northern prawn	Crevette nordique	Greenland waters of V and XIV (PRA/514GRN)	Not relevant	7.000	na	Not relevant	NR
<i>Pandalus borealis</i>	Northern prawn	Crevette nordique	Greenland waters of NAFO 0 and 1 (PRA/NO1GRN)	4.000	4.000	0%	Not relevant	na

Species Latin name	Species English name	Espèces nom français	ICES fishing zone	COUNCIL			COMMISSION Proposal for 2010	comparison Council / Commission 2010
				TACs 2010	TACs 2009	comparison 2010/2009 %		
<i>Pollachius virens</i>	Saithe	Lieu noir	I, II (Norwegian waters)	Not relevant	3.000	na	Not relevant	na
<i>Pollachius virens</i>	Saithe	Lieu noir	International waters of I and II	Not relevant	0	na	Not relevant	na
<i>Pollachius virens</i>	Saithe	Lieu noir	Vb (Faroese waters)	Not relevant	2.425	na	Not relevant	na
<i>Reinhardtius hippoglossoides</i>	Greenland halibut	Flétan du Groenland	Norwegian waters of I and II	Not relevant	50	na	Not relevant	na
<i>Reinhardtius hippoglossoides</i>	Greenland halibut	Flétan du Groenland	International waters of I and II (GHL/12/INT)	Not relevant	0	0%	Not relevant	0%
<i>Reinhardtius hippoglossoides</i>	Greenland halibut	Flétan du Groenland	Greenland waters of V and XIV	Not relevant	7.500	na	Not relevant	na
<i>Reinhardtius hippoglossoides</i>	Greenland halibut	Flétan du Groenland	Greenland waters of NAFO 0 and 1	Not relevant	2.500	na	Not relevant	na
<i>Scomber scombrus</i>	Mackerel	Maquereau	IIa (Norwegian waters)	pm	12.300	na	pm	na
<i>Scomber scombrus</i>	Mackerel	Maquereau	Vb (Faroese waters)	pm	3.001	na	pm	na
<i>Sebastes spp.</i>	Redfish	Sébaste	V (EC and internat. waters); XII and XIV (internat. waters) (RED/51214)	6992	0	0%	to be established	0%
<i>Sebastes spp.</i>	Redfish	Sébaste	I and II (Norwegian waters)	Not relevant	1.500	NR	Not relevant	na
<i>Sebastes spp.</i>	Redfish	Sébaste	I and II (internat. waters)	Not relevant			pm	
<i>Sebastes spp.</i>	Redfish	Sébaste	V, XIV (Greenland waters)	Not relevant	0	na	Not relevant	na
<i>Sebastes spp.</i>	Redfish	Sébaste	Va (Icelandic waters)	Not relevant	0	na	Not relevant	na
<i>Sebastes spp.</i>	Redfish	Sébaste	Vb (Faroese waters)	Not relevant	1.600	NR	Not relevant	na
	By-catches		NAFO 0, 1 (Greenland waters)	Not relevant	2.300	NR	Not relevant	NR
	Other species		I, II (Norwegian waters)	Not relevant	350	NR	Not relevant	na
	Other species		Vb (Faroese waters)	Not relevant	760	NR	Not relevant	na
	Flatfish		Vb (Faroese waters)	Not relevant			Not relevant	

Species Latin name	Species English name	Espèces nom français	ICES fishing zone	COUNCIL			COMMISSION Proposal for 2010	comparison Council / Commission 2010
				TACs 2010	TACs 2009	comparison 2010/2009 %		
ANNEX IC NORTH WEST ATLANTIC Area of NAFO								
<i>Gadus morhua</i>	Cod	Cabillaud	NAFO 2J3KL	0	0	0%	0	0%
<i>Gadus morhua</i>	Cod	Cabillaud	NAFO 3NO	0	0	0%	0	0%
<i>Gadus morhua</i>	Cod	Cabillaud	NAFO 3M	5500	0	0%	5500	0%
<i>Glyptocephalus cynoglossus</i>	Witch flounder	Plie grise	NAFO 2J3KL	0	0	0%	0	0%
<i>Glyptocephalus cynoglossus</i>	Witch flounder	Plie grise	NAFO 3NO	0	0	0%	0	0%
<i>Hippoglossoides platessoides</i>	American Plaice	Faux Flétan	NAFO 3M	0	0	0%	0	0%
<i>Hippoglossoides platessoides</i>	American Plaice	Faux Flétan	NAFO 3LNO	0	0	0%	0	0%
<i>Illex illecebrosus</i>	Short fin squid	Calmar à nageoires courtes	NAFO sub-zones 3 and 4	34.000	34.000	0%	34.000	0%
<i>Limanda ferruginea</i>	Yellowtail flounder	Limande à queue jaune	NAFO 3LNO	17000	17000	0%	17000	0%
<i>Mallotus villosus</i>	Capelin	Capelan	NAFO 3NO	0	0	0%	0	0%
<i>Pandalus borealis</i>	Northern prawn	Crevette nordique	NAFO 3L	334	334	0%	30000	8882%
<i>Pandalus borealis</i>	Nothorn prawn	Crevette nordique	NAFO 3M	pm			pm	
<i>Reinhardtius hippoglossoides</i>	Greenland halibut	Flétan du Groenland	NAFO 3LMNO	6.951	6.951	0%	11.856	71%
<i>Rajidae</i>	Skate	Raie cendrée	NAFO 3LNO	8.500	8.500	0%	12.000	41%
<i>Sebastes spp.</i>	Redfish	Sébaste	NAFO 3LN	638	0	0%	3500	0%
<i>Sebastes spp.</i>	Redfish	Sébaste	NAFO 3M	7.813	7.813	0%	10.000	28%
<i>Sebastes spp.</i>	Redfish	Sébaste	NAFO 3O	7.000	7.000	0%	20.000	186%
<i>Sebastes spp.</i>	Redfish	Sébaste	NAFO Subarea 2, divisions 1F and 3K	2.503	2.503	0%	2.503	0%
<i>Urophycis tenuis</i>	White hake	Merluche blanche	NAFO 3NO	5.000	5.000	0%	6.000	20%

Species Latin name	Species English name	Espèces nom français	ICES fishing zone	COUNCIL			COMMISSION Proposal for 2010	comparison Council / Commission 2010
				TACs 2010	TACs 2009	comparison 2010/2009 %		
ANNEX ID HIGHLY MIGRATORY FISH - All AREAS								
<i>Thunnus thynnus</i>	Bluefin tuna footnote	Thon rouge	Atlantic Ocean, east of longitude 45°W and Mediterranean (BET/AE045W)	11.907	11.907	0%	pm	na
<i>Xiphias gladius</i>	Swordfish	Espadon	Atlantic Ocean (north of latitude 5° N)	8.232	8.232	0%	pm	na
<i>Xiphias gladius</i>	Swordfish	Espadon	Atlantic Ocean (south of latitude 5° N)	5.717	5.717	0%	pm	na
<i>Germo alalunga</i>	Northern Albacore	Thon blanc	Atlantic Ocean (north of latitude 5° N)	38.193	38.193	0%	pm	na
<i>Germo alalunga</i>	Southern Albacore	Thon blanc	Atlantic Ocean (south of latitude 5° N)	1.915	1.915	0%	pm	na
<i>Thunnus obesus</i>	Bigeye tuna	Thon obèse	Atlantic Ocean	31.200	31.200	0%	pm	na
<i>Makaira nigricans</i>	Blue marlin	Makaire bleu	Atlantic Ocean	103	103	0%	pm	na
<i>Lamna nasus</i>	Portbeagle	Requin-taupe	EC and internat. waters of I, II, III, IV, V, VI, VII, VIII, IX, X, XII and XIV				pm	
<i>Tetrapturus alba</i>	White marlin	Makaire blanc	Atlantic Ocean	47	47	0%	pm	na
ANNEX IE ANTARCTIC Area of CCAMLR								
<i>Champocephalus gunnari</i>	Antarctic icefish	Poisson des glaces antarctique	FAO 48.3 Anatarctic ANI/F483	3834	3834	0%	pm	na
<i>Champocephalus gunnari</i>	Antarctic icefish	Poisson des glaces antarctique	FAO 58.5.2 Antarctic ANI/F5852	102	102	0%	pm	na
<i>Dissostichus eleginoides</i>	Antarctic toothfish	Légines	FAO 48.3 Antarctic TOP/F483	3920	3920	0%	pm	na
<i>Dissostichus eleginoides</i>	Antarctic toothfish	Légines	FAO 48.4 Antarctic TOP/F484	75	75	0%	pm	na
<i>Dissostichus eleginoides</i>	Antarctic toothfish	Légines	FAO 58.5.2 Antarctic TOP/F5852	2500	2500	0%	pm	na
<i>Euphausia superba</i>	Krill	Krill	FAO 48 KRI/F48	3 470 000	3 470 000	0%	pm	na
<i>Euphausia superba</i>	Krill	Krill	KRI/F5841	440 000	440 000	0%	pm	na
<i>Euphausia superba</i>	Krill	Krill	KRI/F5842	2 645 000	2 645 000	0%	pm	na

Species Latin name	Species English name	Espèces nom français	ICES fishing zone	COUNCIL			COMMISSION Proposal for 2010	comparison Council / Commission 2010
				TACs 2010	TACs 2009	comparison 2010/2009 %		
<i>Lepidonotothen sauamifrons</i>	Grey rockcod	Colin austral	FAO 58.5.2 Antarctic NOS/F5852	80	80	0%	pm	na
<i>Paralomis spp.</i>	Crab	Crabe	FAO 48.3 Anarctic PAI/F483	1600	1600	0%	pm	na
<i>Macrourus spp.</i>	Grenadier	Grenadier	FAO 58.5.2 Antarctic GRV/F5852	360	360	0%	pm	na
	Other species	Autres espèces	FAO 58.5.2 Antarctic OTH/F5852	50	50	0%	pm	na
<i>Rajidae</i>	Skates and rays	Requins et raies	FAO 58.5.2 Anarctic SRX/F5852	120	120	0%	pm	na
<i>Martiala hyadesi</i>	Squid	Calmar	FAO 48.3 Antarctic SQS/F483	2500	2500	0%	pm	na
ANNEX IF SOUTH-EAST ATLANTIC OCEAN Area of SEAFO								
<i>Beryx spp.</i>	Alfonsinos	Béryx	SEAFO	200	200	new TAC	pm	new TAC
<i>Chaceon spp.</i>	Deep-sea Red crab	Gérion ouest-africain	SEAFO Sub Division B1	200	200	0%	pm	na
<i>Chaceon spp.</i>	Deep-sea Red crab	Gérion ouest-africain	SEAFO excluding Sub division B1	200	200	0%	pm	na
<i>Dissostichus eleginoides</i>	Patagonian Toothfish	Légine australe	SEAFO	260	260	0%	pm	na
<i>Hoplosternus atlanticus</i>	Orange roughy	Hoplosthète orange	SEAFO	260	260	new TAC	pm	new TAC
ANNEX IG SOUTHERN BLUEFIN TUNA - All Areas								
<i>Thunnus maccoyii</i>	Bluefin tuna footnote	Thon rouge	By-catches in all areas (SBF/F41-81)	10	10	0%	pm	na
ANNEX IH WCPFC Area								
<i>Xiphias gladius</i>	Swordfish	Espadon	WCPFC area south of 20° S				pm	
ANNEX IJ SPFO Area								
<i>Trachurus murphyi</i>	Jack mackerel	Chinchard du Chili	SPFO (CJM)	179000				